











STEP|TWIST





Nr.	Description	QTY
1	COMPUTER	1
2	HEX BOLT M8*40	1
3	CURVE WASHER $\Phi 20 * \Phi 8 * 1.2T$	1
4	COMPUTER INSERTPLATE	1
5	END CAP of HANDLE BAR	2
6	FOAM GRIP	2
7	HANDLE BAR	1
8	UPPER HANDLE BAR	1
9	BUSHING	1
10	ADJUST KNOB	1
11	LOWER HANDLE BAR	1
12	BUSHING	1
13	REAR STABLIER	4
14	CONNECTING PLATE	2
15	SENSOR	1
16	BASE FRAME	1
17	HEX BOLT M8*20	2
18	NYLON CAP	2
19	WASHER $35 * \Phi 8 * 1T$	2
20	NYLON BUSHING	2
21	HEXAGON BOLT M8*45	4
22	NYLON NUT M8	4
23	PLATFORM	2
24	WASHER $\Phi 30 * \Phi 10.5 * 2.5T$	2
25	"U"TYPE PLATE	2
26	RIVET	2
27	BUFFER KNOB	2
28	PLATFORM TUBE(L)	1
29	PLATFORM TUBE(R)	1
30	END CAP of HANDLE BAR	2
31	MAGNETIC	1
32	HEXAGON SCREW M8*40	2
33	NYLON NUT M8	2
34	HYDRAULIC CYLINDER	2
35	BLANCE PLATE	1
36	NYLON NUT M8	2
37	HEXAGON BOLT M8*45	2
38	HEX BOLT M8*20	6
39	NYLON NUT (1/2"-12)	1
40	NYLON WASHER $\Phi 13.5 * \Phi 24 * 2T$	2
41	BRASS WASHER	1
42	NYLON NUT M8	2
43	HEXAGON BOLT M8*30	2
44	NYLON WASHER $\Phi 13 * \Phi 24 * 1.5T$	1



ITEM	PARTS	QTY	ITEM	PARTS	QTY
e	 COMPUTER	1	i	 HEX BOLT M8*40	1
h	 WASHER	1	f	 COMPUTER INSERT PLATE	1
d	 HANDLEBAR	1	c	 UPPER FRONT POST	1
g	 ADJUST KNOB	1	b	 LOWER FRONT POST	1
j	 HEX BOLT M8*20	6	a	 BASE MAIN FRAME AND PLATFORM	1
k	 SENSOR WIRE	1			
l	 ALLEN KEY	1			

ASSEMBLY STEP

STEP 1: BASE MAIN FRAME (a) AND LOWER HANDLE BAR (b) USE HEX BOLTS (j) M8*20 TIGHTEN.

PLACE THE SENSOR WIRE (k) THROUGH OUT FROM LOWER FRONT POST (b).

STEP 2:HANDLE BAR(d) AND COMPUTER INSERT PLATE (f) USE HEX BOLTS M8*40 (i) WITH WASHER (h) TIGHTEN ONTO UPPER HANDLE BAR (C).

STEP 3:INSERT UPPER HANDLE BAR (C) DOWN TO LOWER HANDLE BAR (b).AFTERWARDS THE SENSOR WIRE (K) THROUGH OUT TO THE UPPER HANDLE BAR (C).

STEP 4:INSTALL THE COMPUTER (e) TO THE INSERT PLATE (f),CONNECTING THE SENSOR WIRE TO COMPUTER PLUG.

STEP 5:ADJUSTING THE FRONT POST POSITION AS YOU DESIRED THEN TIGHEN THE ADJUST KNOB (g) TO FIXED.

THE MAX .USER WEIGHT:100KGS

COMPUTER



FUNCTION:STRIDES / MIN,SCAN,COUNT,TIME,CALORIE

BATTERY *1PCS ,TYPE:AAA



GARLANDO SPA

Via Regione Piemonte, 32 - Zona Industriale D1

I 5068 - Pozzolo Formigaro (AL) - Italy

www.everfit.it - info@everfit.it